





ROACH KILLER SMALL BAIT STATIONS FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

ACTIVE INGREDIENT:

Hydramethylnon: tetrahydro-5, 5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl) phenyl)-1-(2-(4-(trifluoromethyl) phenyl) ethenyl)-2-propenylidene) hydrazone ...2.00%

CONTAINS: 72 Child-Resistant Bait Stations

CAUTION: KEEP OUT OF REACH OF CHILDREN

MAXFORCE® Roach Killer Bait Stations may be used for the control of small cockroaches, such as German or Brown-Banded roaches, in any area where cockroaches are a problem, such as residential, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, hospitals, nursing homes, schools, daycare centers, health care facilities, aircraft, basements, laboratories, computer and electronic equipment facilities, pet shops, zoos, buses, boats and trains. MAXFORCE® has an odorless bait that roaches eat even in the presence of other foods and is packaged in a child-resistant bait station. The patented transparent red top enables you to monitor bait consumption while providing roaches their preferred environment, darkness, because roaches do not see light in the red spectrum.

PRECAUTIONARY STATEMENTS

CAUTION: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. May be harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT:

If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention

In case of emergency, call day or night, 1-800-426-6228.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Do not remove baits from container. Wrap used container and put in a trash can.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Place MAXFORCE® in areas where cockroaches have been seen and where they hide. Cockroaches infest dark, warm, damp locations.

2. The bait stations can be stuck to a vertical surface by peeling off the bottom label to expose adhesive.

3. For effective roach control use 4-6 bait stations per 100 square feet of horizontal surface area. Place adjacent to walls and flush in corners.

4. Do not spray the bait stations. Avoid placing the bait stations on freshly sprayed surfaces.

5. Roaches will begin eating the bait immediately and you should expect to see fewer roaches within two weeks.

Inspect all bait stations and replace as needed for continual control of roaches.



1997 MAXFORCE

EPA Reg. No. 64248-1 EPA Est. No. 5813-MS-01 Product Code No. 48000

1221 Broadway Oakland, CA 94612

Distributed by: